



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



Capt

PATENT
Docket No. 15436.325

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Bench et al.

Serial No.: 10/809,880

Filed: Mar. 25, 2004

For: METHOD AND APPARATUS FOR TESTING
PCBA SUBCOMPONENTS

Examiner: Carol S. W. Tsai

Patent No.: 7,024,329

Issue Date: Apr. 4, 2006

Art Unit
2857

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
JUL 17 2008
of Correction

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

07/14/2008 MGBREM2 00000073 7024329

01 FC:1811

100.00 OP
RECEIVED
PATENT FEE DIVISION

JUL 17 2008

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 8 day of July, 2008.

Respectfully submitted,




R. Burns Israelsen
Attorney for Patentee
Registration No. 42,685
Customer No. 022913

RBI:jsb
Docket No. 15436.325
Certificate of Correction Documents (with check).

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 11 day of July, 2008.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 158885 for \$100.00

RECEIVED-USPTO
Patent Publication

JUL 17 2008



WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER, 60 EAST SOUTH TEMPLE | SALT LAKE CITY, UTAH 84111
TEL: (801) 533-9800 | FAX: (801) 328-1707 | WWW.WNLAW.COM



PATENT
Docket No. 15436.325

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Bench et al.

Serial No.: 10/809,880

Filed: Mar. 25, 2004

For: METHOD AND APPARATUS FOR TESTING
PCBA SUBCOMPONENTS

Examiner: Carol S. W. Tsai

Patent No.: 7,024,329

Issue Date: Apr. 4, 2006

Art Unit
2857

REQUEST FOR A CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

Jul 17 2008
Patent & Trademark Office

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 8 day of July, 2008.

Respectfully submitted,




R. Burns Israelsen
Attorney for Patentee
Registration No. 42,685
Customer No. 022913

RBI:jsb
Docket No. 15436.325
Certificate of Correction Documents (with check)

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 11 day of July, 2008.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 158885 for \$100.00

RECEIVED-USPTO
Patent Publication

JUL 17 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,024,329
APPLICATION NO. : 10/809,880
ISSUE DATE : Apr. 4, 2006
INVENTOR(S) : Bench et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4

Line 5, before "PCBA", insert --a--
Line 64, change "102" to --120--

Column 5

Line 44, before "resistors", remove [a]

Column 6

Line 54, change "upper" to --lower--
Line 55, change "lower" to --upper--
Line 61, change "upper" to --lower--

Column 7

Line 28, after "Accordingly,", insert --cable 502 can facilitate communication between computer system 500 and evaluator--

Column 9

Line 14, after "into", change "to" to --the--

Column 10

Line 19, before "edge", change "the" to --an--

MAILING ADDRESS OF SENDER (Please do not use customer number)

R. Burns Israelsen, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JUL 17 2008

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,024,329
APPLICATION NO. : 10/809,880
ISSUE DATE : Apr. 4, 2006
INVENTOR(S) : Bench et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4

Line 5, before "PCBA", insert --a--
Line 64, change "102" to --120--

Column 5

Line 44, before "resistors", remove [a]

Column 6

Line 54, change "upper" to --lower--
Line 55, change "lower" to --upper--
Line 61, change "upper" to --lower--

Column 7

Line 28, after "Accordingly,", insert --cable 502 can facilitate communication between computer system 500 and evaluator--

Column 9

Line 14, after "into", change "to" to --the--

Column 10

Line 19, before "edge", change "the" to --an--

MAILING ADDRESS OF SENDER (Please do not use customer number)

R. Burns Israelsen, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

RECEIVED-USPTO
Patent Publication

JUL 17 2008

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.